

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GÜVENLİK BİLGİ FORMU Issue date: 11/16/2018 Revision date: 06/01/2021 Version:2.0 Reference number: EYS F 831-1-22

Kalaturkey
 www.skalaholding.eu

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product form	: Mixture
Trade name	: Skala Label Remover Spray
Product code	: 250233
Vaporizer	: Aerosol

1.1. Relevant identified uses of the substance or mixture and uses advised against,

1.2. Relevant identified uses

Use of the substance/mix- ture	: Dissolves grease, paper labels on different type of surfaces.
-----------------------------------	---

1.2.1. Uses advised against

No additional information available

1.3. **Details of the supplier of the safety data sheet**

Manufacturer

SKALA KİMYA SAN VE TİC. A.Ş. Akşemsettin Mh. Fatih Bulvarı Serap Sk. No:5/A Sultanbeyli/İSTANBUL 0850 969 19 05 Süleyman KARAKAYA

1.4. **Emergency telephone number**

Emergency number : 0850 969 19 05

SECTION 2: HAZARDS IDENTIFICATION

1.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Cate- gory 2	H315
Skin sensitisation, Category 1	H317
Specifictargetorgantox- icity— Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment — Chronic Haz- ard, Category 2 Full text of H statements : see section	H411 on 16





GÜVENLİK BİLGİ FORMU

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

1.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients	: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; (R)- p- mentha-1,8-diene; d-limonene
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H315 - Causes skin irritation. H317 - May cause an allergic skin re- action. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P321 - Specific treatment (see supplemental first aid instruction on this label). P391 - Collect spillage.

1.3. Other hazards

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

1.1. Substances

Not applicable



GÜVENLİK BİLGİ FORMU

1.2. Mixtures

Name	Product identifier	%	Classification ac- cording to Reg- ulation (EC) No. 1272/2008 [CLP]
LPG (Note K)(Note S)(Note U)	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6	≥ 45 – < 55	Flam. Gas 1A, H220 Press. Gas (Comp.), H280 Muta. Not clas- sified Carc. Not classified
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromat- ics	(CAS-No.) 64742-48-9 (EC-No.) 919-857-5	≥ 35 – < 40	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
(R)-p-mentha-1,8-diene; d-limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	≥ 10 – < 13	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note K : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

1.1. **Description of first aid measures**

First-aid measures general

Call a poison center or a doctor if you feel unwell.

First-aidmeasuresafterinhalation

: Removepersontofreshairandkeepcomfortableforbreathing.





GÜVENLİK BİLGİ FORMU

First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aidmeasuresaftereyecontact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.		
1.2. Most important symptoms	and effects, both acute and delayed	
Symptoms/effects Symptoms/effectsafterskincontac Indication of any immediate medica Treat symptomatically.	: May cause drowsiness or dizziness. t : Irritation.Maycauseanallergicskinreaction. al attention and special treatment needed	
s	ECTION 5: FIREFIGHTING MEASURES	
1.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
1.2. Special hazards arising from	m the substance or mixture	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire Advice for firefighters	 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic fumes may be released. 	
Protection during firefighting :	Donotattempttotake action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECT	ION 6: ACCIDENTAL RELEASE MEASURES	
1.1. Personal precautions, prote	ective equipment and emergency procedures	
1.1.1.For non-emergency person	nel	
Emergency procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
1.2. Environmental precautions		
Avoid release to the environment.		



GÜVENLİK BİLGİ FORMU

1.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

1.4. **Reference to other sections**

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

1.1. **Precautions for safe handling**

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/ gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear per- sonal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Conditions for safe storage, i	cluding any incompatibilities
Storage conditions	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ : 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

1.2. Specific end use(s)

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

1.1. Control parameters

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)			
EU	Local name	White spirit Type 3	
EU	IOEL TWA	116 mg/m³	
EU	IOEL TWA [ppm]	20 ppm	
EU	IOEL STEL	290 mg/m ³	
EU	IOEL STEL [ppm]	50 ppm	
EU	Notes	Skin. (Year of adoption 2007)	
EU	Regulatory reference	SCOEL Recommendations	



1.2. **Exposure controls**

Appropriate engineering controls: Ensure good ventilation of the work station.

Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

1.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid under pressure.
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.

Skalaturkey www.skalaholding.eu

GÜVENLİK BİLGİ FORMU



GÜVENLİK BİLGİ FORMU

I f /skalaturkey

	Vapour pressure	:	No data available
	Relative vapour density at 20 °C	:	No data available
	Relative density	:	No data available
	Solubility	:	No data available
	Partition coefficient n-octanol/wa- ter (Log Pow)	:	No data available
	Viscosity, kinematic	:	No data available
	Viscosity, dynamic	:	No data available
	Explosive properties	:	Pressurised container: May burst if heated.
	Oxidising properties	:	No data available
	Explosive limits	:	No data available
1.2	2. Other information		

No additional information available

SECTION 10: STABILITY AND REACTIVITY

1.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

1.2. Chemical stability

Stable under normal conditions.

1.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

1.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

1.5. Incompatible materials

No additional information available

1.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified





GÜVENLİK BİLGİ FORMU

(R)-p-mentha-1,8-diene; d-limor	iene (5989-27-5)			
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)			
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitisa- tion	: May cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure	: Not classified			
Aspiration hazard	: Not classified			

Skala Label Remover Spray	
Vaporizer	Aerosol

SECTION 12: ECOLOGICAL INFORMATION

1.1. Toxicity

Ecology - general	:	Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic en- vironment, short-term (acute)	:	Not classified
Hazardous to the aquatic environment, long-term (chronic)	:	Toxictoaquaticlife with long lasting effects.

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [1]	720 μg/l (Equivalent or similar to 0ECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia mag- na, Semi-static system, Fresh water, Experimental value, GLP)	
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella sub- capitata, Static system, Fresh water, Experimental value, GLP)	





GÜVENLİK BİLGİ FORMU

Label Remover Spray

Persistence and degradability 1.2.

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Persistence and degradability	Readily biodegradable in water.		
ThOD	3.29 g O _z /g substance		

Bioaccumulative potential

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)		
Partition coefficient n-octanol/wa- ter (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)		
Bioaccumulative potential	Potential for bioaccumulation (4 \ge Log Kow \le 5).		
Mobility in soil			

(R)-p-mentha-1,8-diene; d-limonene (5	989-27-5)
Ecology - soil	Low potential for mobility in soil.
Results of PRT and vPvR assessm	iont

Results of PBT and vPvB assessment

Component	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other adverse effects 1.3.

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods 13.1.

Regional legislation (waste) Waste treatment methods	:	Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collec- tor's sorting instructions.
Ecology - waste materials	:	Avoid release to the environment.
EuropeanListofWaste(LoW) code	:	1406 03* - other solvents and solvent mixtures 15 0111* - metallic packaging containing a dangerous solid porous matrix (e.g. asbestos), including empty pressure containers
R code/ D code	:	R13 - Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)





SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number 1950	1950	1950	1950	1950
1950	1950	1950	1950	1950
14.2. UN proper shipp	ping name			
AEROSOLS	AEROSOLS	Aerosols, flamma- ble	AEROSOLS	AEROSOLS
Transport document des	cription	1		
2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRO NMENTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport haza	ardclass(es)			
	2.1	2.1	2.1	2.1
14.4. Packing grou	qL		1	<u>.</u>
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	azards			
environment : Yes	Dangerous for the environment : Yes Marine pollut- ant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environ- ment : Yes
No supplementary inform	mation available	<u> </u>	1	



1. Special precautions for user



GÜVENLİK BİLGİ FORMU

- Overland transport		
Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	1L
Excepted quantities (ADR)	:	EO
Packing instructions (ADR)	:	P207
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	:	2
Specialprovisionsforcar- riage- Packages (ADR)	:	V14
Special provisions for car- riage - Loading,unloadingand handling (ADR)	:	CV9, CV12
Specialprovisionsforcar- riage- Operation (ADR)	:	52
Tunnel restriction code (ADR)	:	D
- Transport by sea		
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	:	P207, LP200
Special packing provisions (IMDG)	:	PP87, L2
EmS-No. (Fire)	:	F-D
EmS-No. (Spillage)	:	S-U
Stowage category (IMDG)	:	None
Stowage and handling (IMDG)	:	SW1, SW22
Segregation (IMDG)	:	SG69
- Air transport		
PCA Excepted quantities (IATA)	:	EO
PCA Limited quantities (IATA)	:	Y203
PCAlimitedquantitymaxnetquan- tity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	203
PCA max net quantity (IATA)	:	75kg
CAO packing instructions (IATA)	:	203
CAO max net quantity (IATA)	:	150kg
Special provisions (IATA)	:	A145, A167, A802
ERG code (IATA)	:	10L
- Inland waterway transport		
Classification code (ADN)	:	5F
Special provisions (ADN)	:	190, 327, 344, 625



Image: State of the state o	
www.skalaholding.eu	

Label Remover Spray			GÜVENLİK BİLGİ FORMU
Limited quantities (ADN)	:	1L	
Excepted quantities (ADN)	:	EO	
Equipment required (ADN)	:	PP, EX, A	
Ventilation (ADN)	:	VE01, VE04	
Number of blue cones/lights (ADN)	:	1	
- Rail transport			
Special provisions (RID)	:	190, 327, 344, 625	
Limited quantities (RID)	:	1L	
Excepted quantities (RID)	:	EO	
Packing instructions (RID)	:	P207, LP200	
Special packing provisions (RID)	:	PP87, RR6, L2	
Mixed packing provisions (RID)	:	MP9	
Transport category (RID)	:	2	
Special provisions for carriage – Packages (RID)	:	W14	
Special provisions for carriage - Loading,unloadingandhandling (RID)	:	CW9, CW12	
Colis express (express parcels) (RID)	:	CE2	
Hazard identification number (RID)	:	23	
11 Transport in bully accordi		to Appavill of Marpal and the IPC Code	

1.1. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

1.1.Safety, health and environmental regulations/legislation specific for the substance or mixture1.1.1.EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the fol- lowing hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Skala Label Remover Spray-T1-SDS ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3(b) Substances or mixtures fulfilling the criteria for any of the follow- ing hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Skala Label Remover Spray-T1-SDS ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3(c) Substances or mixtures fulfilling the criteria for any of the follow- ing hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Skala Label Remover Spray-T1-SDS



40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Kalaturkey
 www.skalaholding.eu

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

1. National regulations

No additional information available

1.2. Chemical safetyassessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms:

188120100	
ADN	EuropeanAgreementconcerningtheInternationalCarriageofDangerousGoodsby Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration





GÜVENLİK BİLGİ FORMU

() f /skalaturkey www.skalaholding.eu

LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
νΡνΒ	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Classification according to Regulation (EC) No. 1272/2008 [CLP].

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. Not classified	Carcinogenicity Not classified	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 3	Flammable liquids, Category 3	
Muta. Not classified	Germ cell mutagenicity Not classified	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H220	Extremely flammable gas.	

14



GÜVENLİK BİLGİ FORMU

Skalaturkey www.skalaholding.eu

H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents.

SDS_EU_SEL_TAER

DISCLAIMEROFLIABILITYTheinformationinthisSDSwasobtainedfromsourceswhichwebelievearereliable. However, theinformationisprovided withoutanywarranty, expressorimplied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and maybe beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or inanyway connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable