

Label Remover Spray**GÜVENLİK BİLGİ FORMU**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 11/16/2018 Revision date: 06/01/2021
Version:2.0 Reference number: EYS F 831-1-22**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product form : Mixture
Trade name : Skala Label Remover Spray
Product code : 250233
Vaporizer : Aerosol

1.1. Relevant identified uses of the substance or mixture and uses advised against,

1.2. Relevant identified uses

Use of the substance/mixture : Dissolves grease, paper labels on different type of surfaces.

1.2.1. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**Manufacturer**

SKALA KİMYA SAN VE TİC. A.Ş.
Akşemsettin Mh. Fatih Bulvarı Serap Sk. No:5/A Sultanbeyli/İSTANBUL
0850 969 19 05
Süleyman KARAKAYA

1.4. Emergency telephone number

Emergency number : 0850 969 19 05

SECTION 2: HAZARDS IDENTIFICATION**1.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Specific target organ toxicity— Single exposure, Category 3, Narcosis H336
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

1.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS02

GHS07

GHS09

Signal word (CLP) :

: Danger

Hazardous ingredients :

: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; (R)-p- mentha-1,8-diene; d-limonene

Hazard statements (CLP) :

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin re-
action. H336 - May cause drowsiness or
dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

: P210 - Keep away from heat, hot surfaces, sparks, open flames and
other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P280 - Wear protective gloves/protective clothing/eye protection/face
protection/hearing protection.P321 - Specific treatment (see supplemental first aid instruction on
this label).

P391 - Collect spillage.

1.3. Other hazards

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**1.1. Substances**

Not applicable

Label Remover Spray
GÜVENLİK BİLGİ FORMU
1.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
LPG <i>(Note K)(Note S)(Note U)</i>	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6	≥ 45 – < 55	Flam. Gas 1A, H220 Press. Gas (Comp.), H280 Muta. Not classified Carc. Not classified
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	(CAS-No.) 64742-48-9 (EC-No.) 919-857-5	≥ 35 – < 40	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
(R)-p-mentha-1,8-diene; d-limonene <i>(Note C)</i>	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	≥ 10 – < 13	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note K : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1% w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES
1.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Label Remover Spray**GÜVENLİK BİLGİ FORMU**

- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

1.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : *May cause drowsiness or dizziness.*

Symptoms/effects after skin contact : *Irritation. May cause an allergic skin reaction.*

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**1.1. Extinguishing media**

Suitable extinguishing media : *Water spray. Dry powder. Foam. Carbon dioxide.*

1.2. Special hazards arising from the substance or mixture

Fire hazard : *Extremely flammable aerosol.*

Explosion hazard : *Pressurised container: May burst if heated.*

Hazardous decomposition products in case of fire : *Toxic fumes may be released.*

Advice for firefighters

Protection during firefighting : *Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.*

SECTION 6: ACCIDENTAL RELEASE MEASURES**1.1. Personal precautions, protective equipment and emergency procedures****1.1.1. For non-emergency personnel**

Emergency procedures : *Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.*

For emergency responders

Protective equipment : *Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".*

1.2. Environmental precautions

Avoid release to the environment.

Label Remover Spray
GÜVENLİK BİLGİ FORMU
1.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
 Methods for cleaning up : Mechanically recover the product.
 Other information : Dispose of materials or solid residues at an authorized site.

1.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE
1.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

- Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

1.2. Specific end use(s)

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
1.1. Control parameters

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
EU	Local name	White spirit Type 3
EU	IOEL TWA	116 mg/m ³
EU	IOEL TWA [ppm]	20 ppm
EU	IOEL STEL	290 mg/m ³
EU	IOEL STEL [ppm]	50 ppm
EU	Notes	Skin. (Year of adoption 2007)
EU	Regulatory reference	SCOEL Recommendations

Label Remover Spray**GÜVENLİK BİLGİ FORMU****1.2. Exposure controls**

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**1.1. Information on basic physical and chemical properties**

<i>Physical state</i>	: <i>Liquid</i>
<i>Appearance</i>	: <i>Liquid under pressure.</i>
<i>Colour</i>	: <i>No data available</i>
<i>Odour</i>	: <i>No data available</i>
<i>Odour threshold</i>	: <i>No data available</i>
<i>pH</i>	: <i>No data available</i>
<i>Relative evaporation rate (butylacetate=1)</i>	: <i>No data available</i>
<i>Melting point</i>	: <i>Not applicable</i>
<i>Freezing point</i>	: <i>No data available</i>
<i>Boiling point</i>	: <i>No data available</i>
<i>Flash point</i>	: <i>No data available</i>
<i>Auto-ignition temperature</i>	: <i>No data available</i>
<i>Decomposition temperature</i>	: <i>No data available</i>
<i>Flammability (solid, gas)</i>	: <i>Extremely flammable aerosol.</i>

Label Remover Spray**GÜVENLİK BİLGİ FORMU**

Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	Pressurised container: May burst if heated.
Oxidising properties	:	No data available
Explosive limits	:	No data available

1.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

1.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

1.2. Chemical stability

Stable under normal conditions.

1.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

1.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

1.5. Incompatible materials

No additional information available

1.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Label Remover Spray
GÜVENLİK BİLGİ FORMU

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)

<i>Skin corrosion/irritation</i>	:	<i>Causes skin irritation.</i>
<i>Serious eye damage/irritation</i>	:	<i>Not classified</i>
<i>Respiratory or skin sensitisation</i>	:	<i>May cause an allergic skin reaction.</i>
<i>Germ cell mutagenicity</i>	:	<i>Not classified</i>
<i>Carcinogenicity</i>	:	<i>Not classified</i>
<i>Reproductive toxicity</i>	:	<i>Not classified</i>
<i>STOT-single exposure</i>	:	<i>May cause drowsiness or dizziness.</i>
<i>STOT-repeated exposure</i>	:	<i>Not classified</i>
<i>Aspiration hazard</i>	:	<i>Not classified</i>

Skala Label Remover Spray	
Vaporizer	Aerosol

SECTION 12: ECOLOGICAL INFORMATION
1.1. Toxicity

<i>Ecology - general</i>	:	<i>Toxic to aquatic life with long lasting effects.</i>
<i>Hazardous to the aquatic environment, short-term (acute)</i>	:	<i>Not classified</i>
<i>Hazardous to the aquatic environment, long-term (chronic)</i>	:	<i>Toxic to aquatic life with long lasting effects.</i>

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Label Remover Spray

GÜVENLİK BİLGİ FORMU

1.2. Persistence and degradability

<i>(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)</i>	
<i>Persistence and degradability</i>	<i>Readily biodegradable in water.</i>
<i>ThOD</i>	<i>3.29 g O₂/g substance</i>

Bioaccumulative potential

<i>(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)</i>	
<i>BCF - Fish [1]</i>	<i>864.8 l/kg (BCFBFAF v3.01, Pisces, QSAR, Fresh weight)</i>
<i>Partition coefficient n-octanol/water (Log Pow)</i>	<i>4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)</i>
<i>Bioaccumulative potential</i>	<i>Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).</i>

Mobility in soil

<i>(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)</i>	
<i>Ecology - soil</i>	<i>Low potential for mobility in soil.</i>

Results of PBT and vPvB assessment

Component	
<i>(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)</i>	<i>This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII</i>

1.3. Other adverse effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

<i>Regional legislation (waste)</i>	: <i>Disposal must be done according to official regulations.</i>
<i>Waste treatment methods</i>	: <i>Dispose of contents/container in accordance with licensed collector's sorting instructions.</i>
<i>Ecology - waste materials</i>	: <i>Avoid release to the environment.</i>
<i>European List of Waste (LoW) code</i>	: <i>14 06 03* - other solvents and solvent mixtures 15 0111* - metallic packaging containing a dangerous solid porous matrix (e.g. asbestos), including empty pressure containers</i>
<i>R code/ D code</i>	: <i>R13 - Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)</i>

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

Label Remover Spray**GÜVENLİK BİLGİ FORMU**

1. Special precautions for user

- Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

- Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

- Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625

Label Remover Spray

GÜVENLİK BİLGİ FORMU

Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1

- Rail transport

Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

- 1.1. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: REGULATORY INFORMATION

- 1.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
1.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Skala Label Remover Spray-T1-SDS ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Skala Label Remover Spray-T1-SDS ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Skala Label Remover Spray-T1-SDS

Label Remover Spray
GÜVENLİK BİLGİ FORMU

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

1. National regulations

No additional information available

1.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION
Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

Label Remover Spray
GÜVENLİK BİLGİ FORMU

LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Classification according to Regulation (EC) No. 1272/2008 [CLP].

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 3	Flammable liquids, Category 3
Muta. Not classified	Germ cell mutagenicity Not classified
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas.

Label Remover Spray**GÜVENLİK BİLGİ FORMU**

H222	<i>Extremely flammable aerosol.</i>
H226	<i>Flammable liquid and vapour.</i>
H229	<i>Pressurised container: May burst if heated.</i>
H280	<i>Contains gas under pressure; may explode if heated.</i>
H304	<i>May be fatal if swallowed and enters airways.</i>
H315	<i>Causes skin irritation.</i>
H317	<i>May cause an allergic skin reaction.</i>
H336	<i>May cause drowsiness or dizziness.</i>
H400	<i>Very toxic to aquatic life.</i>
H410	<i>Very toxic to aquatic life with long lasting effects.</i>
H411	<i>Toxic to aquatic life with long lasting effects.</i>

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents.

SDS_EU_SEL_TAER

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.